

construction engineering research boratory



TECHNICAL REPORT N-137 October 1982

COMPARISON OF ALTERNATIVE MODES OF DATA INPUT TO THE PESTICIDE INFORMATION RETRIEVAL SYSTEM

AD A 122045

M. Messenger R. Webster T. Brown





82 12 03 015

Approved for public release; distribution unlimited.

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED
DO NOT RETURN IT TO THE ORIGINATOR

UNCLASSIFIED

ECHIETY CLASSIFICATION OF THIS PAGE (Then Date Ente

REPORT DOCUMENTATION	N PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
CERL-TR-N-137	AD. A12204	
4. TITLE (and Subtitio)		S. TYPE OF REPORT & PERIOD COVERED
COMPARISON OF ALTERNATIVE MODES THE PESTICIDE INFORMATION RETRIE		FINAL
		6. PERFORMING ORG. REPORT NUMBER
7. Authogo Ma Messenger		6. CONTRACT OR GRANT NUMBER(a)
R. Webster		
T. Brown		
9. Performing organization name and addre U.S. ARMY CONSTRUCTION ENGINEERI		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT HUMBERS
P.O. Box 4005	THE REPORT OF THE PARTY	4A762720A896-A-034
Champaign, IL 61820		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
ļ		October 1982
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS/11 ditto	44 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	26 15. SECURITY CLASS. (of this report)
14. MONITORING AGENCY NAME & ADDRESS(11 &1134)	rent from Controlling Office)	15. SECURITY CLASS. (of this report)
		Unclassified
		184. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

Copies are obtainable from the National Technical Information Service Springfield, VA 22161

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number) pest control management information systems Pesticide Information Retrieval System

ABOTRACT (Continue on reverse olds if necessary and identify by block number) The pilot Pesticide Information Retrieval System (PEST) - a Component of the Environmental Technical Information System - was initially developed for Headquarters U.S-Army Training and Doctrine Command to perform keyword searches over a database created from each installation's Pest Control Reports (DD Ford 1532). The system can summarise this data by pesticide used, pest, date, installation, location, and several other parameters to produce summary reports containing information on the amount of active ingredient used. Before PEST can be used in the field, an efficient method must be developed-

DD , FORM 1473 EDITION OF 1 NOV 65 15 OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

ECURITY CLASSIFICATION OF THIS PASE(When Date Entered)

for entering all pesticide application data collected daily at each installation into the system database. This report explores three feasible methods of entering data into this system on a production basis and provides time/cost estimates for these methods. The three methods evaluated were interactive data input, optical mark reading from the installations, and optical mark reading from a central location. It was found that all three methods would reduce the number of steps in the current recordkeeping procedure and that all would reduce the level of error. The scanning at a central location method is the most efficient method, but also the most expensive.

UNCLASSIFIED

FOREWORD

This work was performed for the Assistant Unief of Engineers under Project 4A762720A896, "Environmental Quality for Construction and Operation of Military Facilities"; Task A, "Installation Environmental Management Strategy"; Work Unit 034, "Hazardous Materials Management System." The work was performed by the Environmental Division (EN) of the U.S. Army Construction Engineering Research Laboratory. LTC Dennis Gilson, DAEN-ZCE, was the Technical Monitor. Mr. Ben Spencer of TRADOC provided advice and assistance.

Dr. R. K. Jain is Chief of EN. COL Louis J. Circeo is Commander and Director of CERL, and Dr. L. R. Shaffer is Technical Director.

Accession for HTIS (Re.: DTIC TAR Unamorphori
District to
Dist Spire



CONTENTS

		Page
	DD FORM 1473 FOREWORD	1
1	INTRODUCTION Background Purpose Approach Mode of Technology Transfer	. 5
2	CURRENT RECORDKEEPING PROCEDURES	. 8
3	INTERACTIVE DATA INPUT	. 10
4	OPTICAL MARK READINGIndividual Installation Central Location	. 14
5	CONCLUSIONS AND RECOMMENDATIONS	. 19
	APPENDIX A: Pocket Guide for Pest Information Retrieval System APPENDIX B: Valid Terms for Pesticide Data Records APPENDIX C: Sample Interactive Add Data Session APPENDIX D: Cost of Experimental Use of Optical Mark Reader at a Central Location	25 21 23 26
•	D.T. GERT TRANS	

DISTRIBUTION

COMPARISON OF ALTERNATIVE MODES OF DATA IMPUT TO THE PESTICIDE EMPORMATION RETRIEVAL SYSTEM

1 INTRODUCTION

Background

The Federal Insecticide, Fungicide, and Rodenticide Act regulates Army pest control operations. AR 420-76¹ implements the provisions of this Act for the Army. The Pest Management Program set forth in this regulation is part of the real property maintenance activities carried out at all Army installations and activities.

The objectives of the Army's Pesticide Management Program are:

- 1. To develop, start, and maintain safe and effective pest control programs at each Army installation.
- 2. To maintain and protect the health, environmental quality, aesthetic values, and ecological belance of the military community.
- 3. To retain and improve operating personnel competence and skill through periodic testing and training.
- 4. To prevent medical or economic pests from being introduced or spread into the United States, its territories, or possessions by Army operations.

Carrying out the Pest Management Program involves preparing several types of reports. These include the daily and monthly reports on pest management activities required by AR 420-76.

Every pest management operation on an installation is recorded on DD Form 1532-1, the daily report, or on a local form. The information on these forms must be summarized to prepare the required monthly reports; this summarization task is time-consuming and expensive.

To make performance of this task more efficient, the U.S. Army Construction Engineering Research Laboratory (CERL) developed the Pest Information Retrieval System (PEST), an automated system which stores information from DD Form 1532 in a computer database and retrieves these records as needed. (Appendix A provides a pocket users guide for the PEST system.) The system is a component of the Hazardous Materials Management System.*

The system is being evaluated for eventual use in the Department of Defense (DOD) by U.S. Army Forces Command (FORSCOM), U.S. Army Training and Doctrine Command (TRADOC), U.S. Army Defense Acquisition and Resdiness Command

Pest Management Program, AR 420-76 (Department of the Army, 15 December 1980).

^{*} An experimental profile of the Environmental Technical Information System.

(BARCOM), and Army Environmental Hygiene Agency (AEHA). Before the PEST system is used in the field, an efficient method must be developed for entering all pesticide application data collected daily at each installation into the system database.

Purpose

The purpose of this study is to assess the technical feasibility and cost-effectiveness of alternative modes of entering data into the Pesticide Information Retrieval System.

Approach

First, the current flow of information was defined. Data entry methods were then evaluated for conformance with specific criteria developed on the basis of personnel limitations and the need to speed up information transfer and reduce transcription errors. Based on these criteria, three modes of data entry were chosen for assessment: interactive data input from the field directly into the system database, optical mark reading from the installations, and optical mark reading from a central location.

Mode of Technology Transfer

It is recommended that the information in this report be disseminated in accordance with techniques for computer systems defined in AR 18-1, Army Automation Management. The document implementing this system will be an appendix to AR 420-76 or DA PAM 420-76. Current pilot development is being developed in accordance with AR 70-1, Army Research, Development, and Acquisition. Following review and establishment of a Proponent Agency, further system development and deployment will be in accordance with AR 18-1.




Figure 1. Current recordkeeping procedure.

2 CURRENT RECORDREEPING PROCEDURES

REPORT AGGREGATION AND PARTIES.

The flow of pesticide application data from installation to end users was defined through discussions with TRADOC personnel, for whom the system was initially developed, and several installation entomologists. Figure 1 shows the current system of recording and summarizing the data, which was developed by the Navy and is used throughout the Armed Forces. Daily reports are completed on a local form by personnel who apply the pesticides as they do the work. The installation entomologist manually reduces these reports into the monthly Pest Control Report (DD 1532). This report is then typed and mailed to the end users: USAEHA, installation HQ, installation MEDAC, HQ MACOM, and the Armed Forces Pest Management Board.

This procedure requires three manual data transformations: (1) creation of the daily reports from work orders by the applicator, (2) consolidation of the daily reports into a monthly summary by the entomologist, and (3) typing of the monthly summary by clerical personnel outside of the entomology office. At each step, standard terms (see Appendix B) must be used to describe the pest control activities. Reports received by CERL for entry into the pilot PEST system often contain incorrect terms or are missing data. One major reason for this problem is that many of the standard valid terms have been arbitrarily assigned and do not bear any immediately apparent relationship to the pests, pesticides, and operations they describe. Once an incorrect term has been entered on a daily report, it is hard to reconstruct what actually occurred. In the final data-handling step, personnel who are unfamiliar with the valid terms and pesticide application procedures must transcribe the handwritten summary.

This process requires 6 to 8 weeks before initial delivery of the monthly summary to the end users. After examining the reports, they may then return them to the installation for clarification, correction, or completion. As a result, the monthly summary may take up to 3 to 6 months to be completed.

Based on identified problems, four criteria were defined for evaluating alternative modes of entering data into the system.

- 1. Initial data collection must be done in installation entomology operations at current staffing levels.
- 2. Consolidation of steps in the information flow is desirable, and additional steps are not permissible.
- 3. Information should be available to the end users more quickly than it is now.
- 4. The number of times data is transformed manually should be decreased or eliminated, if possible, to reduce transcription errors.

Three modes of data entry were selected to assess their conformance to these criteria: interactive input directly into the PEST system database,

Pest Management Report Terms, NAVFACINST 6250.3 Series (Department of the Mavy, October 1981).

optical mark reading from the installations, and optical mark reading from a central location. Chapters 3 and 4 describe and evaluate these methods and provide an estimate of the costs of using them.

3 INTERACTIVE DATA INPUT

With an interactive data input system, the daily and monthly reports would be handwritten in the entomology office; then the monthly report would be typed directly into the PEST system database via a computer terminal through a WATS line. At this point, the information would be directly available to the end users through the PEST program. Figure 2 illustrates the information flow using interactive data input. This method is technically feasible and has been used at CERL to enter data into the pilot PEST system.

One major advantage of this method is that the PEST program can check the data as it is input to make sure that only valid terms are entered. CERL has developed a data input routine for entering monthly reports into the pilot PEST program. This routine, called "add_data," prompts the user for each piece of information (called a field) contained in the monthly report.

The first field of this routine (field 0) is an accession number which is automatically assigned by the computer for a specific record* so there is no prompt. Field 1, the year and month, is passed to add data when the routine is called. (See the example interactive add data session in Appendix C.) Field 2, the installation name, and field 16, the UIC code, are requested once for each installation. These three fields remain the same for all of the installation's subsequent monthly reports. The add data routine automatically inserts the accession number, date, installation name, and UIC code for the rest of the monthly report entries.

The remaining 12 fields change from record to record. As each piece of data is input, the program checks it against lists of valid terms. If an invalid term is typed in, the add_data program sends an error message to the user, telling him/her that the term is not on the list of acceptable terms; it also gives the user the option of entering another word, or entering the original invalid term. If he/she chooses to enter an invalid term, it will be written into a special file, along with the accession number of the record to which it was added. These files must be examined periodically to determine which terms should be added to the lists of valid terms and which should be sent back to the entomologist for clarification. This gives the system greater flexibility.

Discussions with installation entomologists have revealed several problems with this approach. Generally, no one on the entomology staff has the typing skills needed for data input; therefore, the data must be entered by clerical personnel unfamiliar with pesticide application procedures and valid terms. The typing itself would take about 1 hour per month per installation; however, this is a mixed blessing, because the people involved would not be familiar with data input procedures and would have to relearn them every month (e.g., logging in the terminal, calling up the add data routine, checking invalid terms, etc.). Depending on the number of errors in the handwritten reports, a lot of time could be spent conferring with the entomology staff to correct them. Another drawback is that a good-quality telephone line, which is needed to communicate with the computer, is not available at DA

^{*} A record is a complete set of 17 fields and represents one line of information on the Pest Control Report (DD 1532).




Figure 2. Interactive data input from each installation.

installations. Finally, even though the add_data program flags invalid terms, the chance to introduce errors into the database is not completely eliminated. This is because the monthly report is still produced by manually summarizing the daily reports.

Table 1 summarizes the equipment, labor, and estimated costs associated with using interactive data input. Production of the manual monthly summary requires an estimated 8 hours of labor per month per installation, and input of the final correct monthly report into the system database requires 4 hours of labor per month per installation. The cost of procuring terminals for each installation and the five end users has been included; however, the appropriate type of terminal is already available at most TRADOC, FORSCOM, and DARCOM installations, as well as by the five end users, and would not have to be purchased. The interactive data input method can be used with current staffing levels; however, the level of skill required to use this method will be higher.

Table 1

Cost Comparison:* Alternative Methods of Data Input

	METHOD OF DATA IMPUT	. LABOR		EQUIPMENT/MATERIALS	ESTIMATED COST	D COST
		HOURS/MONTH	TYPE		CAPITAL, \$	RECURRING, \$/YEAR
	Interactive data input	100 hours at	Clerical	30 terminals @ \$700	\$21,000 terminals	\$10.800 deta imput
_	from installation	\$9/hour**	65-03	25 phone lines @ \$75	1,875 phone lines \$22,875 total	33,600 monthly summery \$44,400/year total
		200 hours at	Assist.			
		\$ 14/hour	Entomologist WGS		•	
	Scanner input from	50 hours at	Clerical	7000 forms/month @ \$27.15/1000	\$187,500 scanners	\$ 5,400 labor
	installation	\$9/hour	65-03	25 scanners @ \$12,500	25,000 modems	2,538 forms
				25 modews @ \$1,000	1,875 phones	\$7,938/year total
				25 phone lines @ \$75	3,500 terminals	
				5 terminals @ \$700	\$21/.8/5 total	
	Cantralized eranner					
	input	15 hours at	Clerical	7000 forms/month @ \$27.15/1000	\$ 12,500 scanner	\$ 1,620 labor
		\$9/hour	65-03	1 scanner @ \$12,500	1,000 modem	2,538 forms
_				1 modem @ \$1000	75 phone	\$ 4.158/year total
				1 phone line @ \$75	3.500 terminals	
				5 terminals @ \$700		
_					٠	

* Based on 25 installations.

^{**} Administrative and operating overheads included.

4 OPTICAL MARK READING

Optical mark readers (also called optical scanners) transform a series of pencil marks on a predesigned form into computerized information. This type of device is used to read standardized test answer sheets. Figure 3 shows an example scanner form proposed by the Navy for collecting pesticide application data. This form must be designed in conjunction with the scanner manufacturer.


The scanner itself is similar in appearance and operation to a "table top" copying machine. About 500 forms per hour can be read by the smallest scanner available. The forms can be input either manually or automatically. The scanner can be hardwired to the computer, or accessed through a modem over commercial phone lines. This equipment is commercially available and has been used in a wide variety of applications. There are two ways of using optical mark reading to enter data into PEST: either through individual scanners at each installation or through one scanner at a central location.

Individual Installation

Figure 4 shows the information flow resulting if optical mark reading is used at each installation. Pesticide application personnel would mark the daily report directly on scanner forms by pesticide application personnel as the work was completed. A scanner form with carbon copy would replace the local daily report forms now used. The carbons would be kept in the entomology shop, and the originals would be sent periodically to the scanner location, where they would be scanned directly into the PEST database. The PEST program would produce the current monthly summary (DD 1532) at the end of the month; the summary would be available on-line to all end users.

This mode of data input would avoid one of the biggest pitfalls of both the interactive data input and the current recordkeeping procedures; i.e., there would be no manual transformation or summarization of the data. The pesticide applicator would be forced to mark one of the valid terms on the scanner form; this would greatly reduce the amount of incorrect data entered into the system database, as well as the amount of time spent identifying and correcting such errors. Missing data would still be a problem; however, the scanner can be programmed to check all forms for completeness and reject those that are not complete. This is done by printing a message on the form and directing it to a separate output hopper. Furthermore, this system avoids using the mail to transmit the data. Thus, the monthly summary would be available to end users much more quickly, and the labor now used to produce the monthly summary would no longer be needed.

This option is attractive with respect to speed and ease of use; however, it would be expensive to implement. The scanners cost \$12,500 apiece for manual feed or \$25,000 apiece for automatic feed. In addition, each installation would need modems to connect the scanners to the computer as well as dedicated phone lines. Use of micro-computers at the installation level would eliminate the need for modems; however, conversion of the existing software to operate on various types of micro-computer hardware would also require investigation.




And the same of the control of the same of the same of the same of the control of the same of the s		**************************************	
MARIL SER PROFIT WINDOWS AND CREMAN. BINGS PROFIT O MATTS O CAMPENERS ARTS CONVENIES ARTS COLICERTS O WANCIES O WANCIES O WANCIES O WANCIES O WANCIES O WANCIES O FILTER OR DEATH FILES O WANCIES	PROBLE OF PROPERTY OF STREET OF STRE	MARK SIRK PRITICING LANK EAR TO THE TESTICING NALL THE PETICING NALL THE ACCIDING (CONTROLS) ALLSTRAIN ALLSTRAIN AND STACKED STRAINGER PRINCIPAL SEASON (CONTROLS) BELLEVING (CONTROLS)	AND PROTECTION AND AND AND AND AND AND AND AND AND AN
O OTHER THEO POSTS (old case) DATES	* PRESENTATION TRANSPORT OF STRUCTURE OF STRUCTURE SUPPLIES * RECORD AND STRUCTURE OF TRANSPORT OF TRANSPORT OF STRUCTURE	STATES ASSESSED STATES OF STATES ASSESSED ASSESS	
	Transaction		

Figure 3. (Cont'd).

THE PROPERTY OF THE PARTY OF TH

AND STATE OF STATE OF



Since scanner input into PEST has not yet been tried, it should be evaluated at several installations. The cost of such an experiment is outlined in Appendix D. The cost of this option (see Table 1) could be reduced somewhat if the scanner could be used for other jobs besides inputting pesticide application data. While definition of other uses is beyond the scope of this study, its feasibility should be investigated. This would also be particularly useful for other installation-specific database development.

Central Location

Figure 5 shows the flow of information if optical mark reading at a central location is used. Although this option would cost much less than installing a scanner at each installation, it would require using the mail to send data. However, the monthly summary would still be produced by the computer and available to the end users much more quickly than with interactive data input. Only one scanner, one modem, and one dedicated phone line would be needed. Again, no manual transformation of the data would be needed; this would greatly reduce errors and the amount of missing information in the database. Labor costs would also be less than if scanners were used at each installation; this is because set-up and relearning time would be less for one scanner and one operator. Table 1 shows the costs of this alternative.




Figure 5. Optical mark reading at a central location.

5 CONCLUSIONS AND RECOMMENDATIONS

This report has assessed the technical feasibility and cost-effectiveness of three modes of data entry for the Pesticide Information Retrieval System: interactive data input, optical mark reading from the installations, and optical mark reading from a central location. For a given installation, the most suitable mode would require consideration of the following factors:

- 1. Initial data collection can be done in installation entomology operations at current staffing levels for all three methods of data entry.
- 2. All three methods of data entry would reduce the number of steps in the current recordkeeping procedure (Chapters 3, 4).
- 3. Both the interactive and scanner methods of data input require better-quality commercial telephone lines that do not run through a central switchboard. The feasibility of installing such lines at DA installations must be determined and implemented before use of this type of technology is considered.
- 4. The level of error that can be tolerated in the database must be determined. Optical mark reading allows very little error into the database and requires the least amount of human "troubleshooting." Interactive data input also decreases errors, but at the expense of a great deal of human intervention. The current method of recordkeeping allows a great deal of error, much of which is essentially uncorrectable, because due to the time lags between initial data collection and reduction, personnel forget what entries were made.
- 5. How quickly the monthly report must be available to the end users, and at what expense, is a major deciding factor in choosing a data input method. Scanning at each installation is the quickest method available, but is also the most expensive. Scanning at a central location provides the data quickly and at a reasonable price; it also requires less labor than the other two methods.
- 6. The skill needed at the installation level is much greater for interactive data input than for scanner input. Whether this skill exists remains to be determined by experimental use of interactive data input at several installations. Hardware and software are available and in-place for this experiment.

It is recommended that both interactive and scanner input be experimentally evaluated at the installation level before a method of data input is chosen. Scanner input into PEST should be evaluated at several installations to determine its advantages and costs.

CHARLES CONTRACTOR

CANALATA WAS SAME TO SAME

Log into KIIS, APER subsyste Start PAST by choosing PRST from the XPER meau.

Semple PEST Session

'sbow fields" - to see

"show installation" installation names "findmics" - to ge

> es rchable and to 2

and fort dix" - to get all records

or rats and mice abstement at

"except strychnine" - to get all records for rate and mice at

fort Dix except those where

10.

- to add the records for

POCKET PEST (KTIS Pest Information Retrieval System)

riolde	Commende
toen field to one find of information	"show (field meme)" - lists all the possible
over the second tree systems. Total can	values for the field.
"when" comment from their first	abor records - lists all the databare
can be used with the "find" commend.	"show field." . Item to been found.
-	"find (value)" - sees all fractures
accession* - system identifier for the	of the value. (value) is for any search,
data from a single	ffold.
operation.	"and (velue)" - nerrose the records found to
date - date the posticide operation	those including (value).
use partocasd; e.g., 50/01	"or (value)" - adds to the records found to
installation - where the operation	those including (value).
vee performed	"Greent (value)" - exicudes the people
pool - target ergeniem	containte (value).
serie - shalt or impeture	"last all" or "list (field names)" - liet.
operation - made of posticide	Talmas of data records at the control
confleation	"Afterlar" or "Afterlar /4: Imman's
undto treated - undto used to	The state of the section of the section
by sale sections	Access the records towns extings to the
	Committee of the fills.
	seve (filtheame)" - seves the results of
Contact Cype of area tradeout	your search for later use with the
bearings and to bearings and bearings	"restoce" commed.
	"Festore (filename)" - retrieves the
totalistics - form the posticide	results of a previous search.
The most fin	"hele (compadame)" - provides co-line
andrea form - gallons, pounds, or	information about the comand.
	"wed", "quit", "bye" ends your PEST
Tinel come" - concentration applied	eeston.
rate lbe" - pounds applied per	
- 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1	
and a stack arrelation	
Secerate, or southern	
augoliad	
and boarts - ann-tower spent to	
ulc ^o - installation identifier	
* Not a secretable flaid	

APPENDIX B:

VALID TERMS FOR PESTICIDE DATA RECORDS

Installations

carlisle barracks fort a. p. hill fort belvoir fort benjamin harrison fort benning fort bliss fort chaffee fort dix fort eustis fort gordon fort hamilton fort knox fort leavenworth fort lee fort leonard wood fort mcclellan fort pickett fort rucker fort sill usa support detachment

Pest

algae allveg ants aquaticwds bats bdlvdweeds bedbugs beetlespp birds brgirdsec brush carpentant centipedes culicoids dampwdterm drywdterm earwigs fibfabpst

filthflies fireants fleas foodpests fungiwd grassyweed grdsqrls **jpbeetles** leafchewer lice merinebor mice mites mosquitoes mxbdlbrush exgrabdlyd nematodes oldhousebr ornplntdis
psychoda
rats
roaches
roaches
rodentsoth
rootpests
sapsuckers
scropions
similiids

slvrsocid snailslugs spiders stomoxys subterms tabanid ticks turfdis urticating wob

Operations

atmosfum barrier chambar clearing dgair dghand dgpdeq diptrlumb ditching engdinssur exbait exresidtr extrap fogging gltreatmt hydrafill inbait intrap meddinssur misting omcontrol

palldiptr piinstaltr pileinpltr pooinstaltr poleinpltr receptreat residtr sanitfill soilfum spair spctr sphand sppdeq stinpltr strucfum sursoiltr systemapp trlumbinst trnsoiltr vacuumfum

Bldg/terrain

acf brq dev exc fhb gfg grh ho1 imp ind ken 1df 206 off opd ops

opx rch rec res rrc sip spw tgc tre trv ugs utl wat

whs

Pesticides

1080 245t 244 abata aldrin allethrin alumphos amitrole mete anticose ersenicorg adpos strazine attractant avitrol bacthuring balan baygon bensulide bhe bnomy1 bromacil caen cadminate captan carbary1 chisulfide chlordane chroneb clrobenzil coppersulf crboxide creosote cyclohexim deconi1 dalapon dehlorvos ddt dexon dissinon

dieldrin difolatan dimethoate dinitrocom dioxet diquet dithana diuron dyston dursban duswetsulf dyrene endothall fenthion ferbam fauron folpet hen heptechlor herboil. karathane kelthane kepone koban kromed 1dersenate limegulfur 1indene **m22** malathion maneb abe. **mbm** neb non. mebromide mesurol mataldhyda milkyspore minoils mirex

miscoil mleichydra monuron MOE mthoxychlor naclmollus naled napenta nicotine nonvpenta norbromide orepellent organsulf pegel pentawr picloram DOD prisgreen prometone pyrethrum repellint resmethrin ronnel rotanone requil1 solicasero sinzine slvex sodiumfld starlicide strychnine sulfurylfl tandex tbe tcs thiran sectren zineb anph

Formulations

bets
dus
enl
grn
lfu
odp

olp pog efu eln sus

UIC Codes*

WO1569

WO1777

W05170

W13355

W13777

W18351

W20491 W21478

W29997

W2LPAA

W34201

W36352

W39220

W40801

W42116

W48083

W51062

W51281

W51359

W51459

W51484

units treated

ac

ea

mcf

mlf msf

sy

amount_form

ga

Ĭb

ΟZ

^{*}UIC numbers are unique installation identifiers. For example W48083 is Fort Bliss. An installation may have more than one UIC code.

APPENDIX C

SAMPLE INTERACTIVE ADD DATA SESSION

add data 8109 Type 'quit' to exit 2 installation ? fort knox 3 pest ? filthfly Sorry 'filthfly' is invalid. Do you want to add it? no 3 pest ? filthflies 4 A or I? A 5 operation ? exresidtr 6 no. of units & unit ? 12 msf 7 bldg/terrain ? ken 8 pesticide ? malathion 9 form ? eml 10 amount & unit ? 15 ga 11 final concentration ? 3 12 rate (lbs) ? none 13 rate(%) ? none 14 S,N or C ? S 15 man-hours ? 25 16 UIC code ? W21478 3 pest ? roaches 4 A or I? A 5 operation ? residtr 6 no. of units & unit ? 214 msf 7 bldg/terrain ? res 8 pesticide ? diazinon 9 form ? eml 10 amount & unit ? 214 ga 11 final concentration ? 1 12 rate (lbs) ? none 13 rate (%) ? none 14 S,N or C ? S 15 man-hours ? 198 3 pest ? quit Bye . . .

APPENDIX D

COST OF EXPERIMENTAL USE OF OPTICAL MARK READER AT A CENTRAL LOCATION

	6 months	12 months
Rental of one scanner, \$740/month	\$ 4440	\$ 8880
Scanner forms, 1500/month (5 installations)	\$ 546	\$ 828
Mock-up of scanner form	\$ 285	\$ 285
Labor Installation and interfacing Data input	\$ 500 \$ 216	\$ 500 \$ 432
TOTAL	\$ 5987	\$10925

CHIL DISTRIBUTION

Chief of Engineers ATTW: Tech Monitor ATTW: DAEM-ASI-L (2) ATTW: DAEM-CCP Sth USA, Eores ATTE: EAFE-H 96271 ATTE: EAFE-P 96259 ATTE: EAFE-T 96212 NEC ATTH: MEMC-6A 20315 ATTH: Fecilities Engineer Ockland Army Ence 94626 Repeate MOF 07002 Sunny Point MOF 28461 DARH-CCP DARH-CH DARH-CHO-R DARH-CHO-R DARH-CHO-CHP DARH-HPC DARH-HPC DARH-HPC DARH-HPC DARH-HPC DARH-EDC ATTE: ATTE: ATTE: BOK/MF Combined Forces Command 96301 ATTW: BUNA-MRC-CFC/Engr ATTE: MARADOM, ATTN: BEDMA-F 071160 UEA Japan (USARJ) Ch, FE Div, AIEH-FE 96343 Fac Engr (Bonehu) 96343 Fac Engr (Okinewa) 96331 ATTH: TARCON, Fee. 21v. 48090 ATTH: ATTE: ATTU: MARDOC

MM, TARROC, ATTH: ATRH-FE
ATTH: Focilities Engineer
Fort Belveir 22060
Fort Belveir 22060
Fort Benning 31905
Fort Bilso 79916
Carlisle Berrache 17013
Fort Chefee 7292
Fort But 00640
Fort Gordon 30905
Fort Benlis 23606
Fort Gordon 30905
Fort Hamilton 11252
Fort Ben jonin Enripen 46216
Fort Jackson 29207
Fort Kans 40121
Fort Leavementh 66027
Fort Kens 40121
Fort Heclellen 36205
Fort Monroe 23601
Fort Monroe 23631
Fort Encher 36362
Fort Still 73503
Fort Leanard Weed 65473 ATTH: ATTE DARK-RDC Area Engineer, AEDC-Area Office Arnold Air Force Station, TW 37389 ATTN: ATTN: ATTN: DARM-RIM DAEN-EM DAEN-EC DAEN-ECE Western Area Office, CE Vandemberg AFF, CA 93437 ATTN: ATTN: 416th Engineer Command 60623 ATTN: Facilities Engineer FESA, ATTN: Library 22060 US Military Academy 10996 ATTH: Pacifities Engineer ATTH: Dept of Geography & Computer Science ATTH: DSCPSE/MARH-A PESA, ATTW: DET III 79906 US Army Engineer Districts ATTW: Library Alaska 99501 Alaska 99501
Al Berin 09616
Albuquerque 87103
Beltimore 21203
Buffalo 14207
Charleston 29402
Chicago 60604
Detroit 48231
For East 96301
Fort Worth 76102
Galveston 77550
Huntington 25721
Jacksonville 32232
Japan 96343
Kannas City 64106
Little Beck 72203
Louisville 40201
Houphis 38103
Hobile 34628
Hashville 37202
Hew Orleans 70160
Hew Tork 10007
Horfolk 23510
Omaha 66102
Philadelphis 19106
Fitteburgh 15222
Portland 97208
Riyadh 99038
Roch 1alash 61201
Sacramento 95814
San Prancisco 94105 Al Batin 09616 Engr. Studies Center 20315 ATTN: Library AMERC, ATTH: DERME-WE 02172 USA ARROOM 61299 ATTW: DECIS-RI-I ATTW: DESAM-IS TRANCOM, ATTH: STEAS-F 63120 ATTH: DESAM-IS

DABCOM - Dir., Inst., 6 Svcs.
ATTH: Pacilities Engineer
ARRADOM 07801
Aberdees Proving Ground 21005
Army MatLs. and Machanics Ens. Ctr. Corpus Ghristi Army Dapot 78419
Herry Diamond Laboratories 20783
Duguey Froving Ground 84022
Jefferson Proving Ground 47230
Fort Hosmouth 07703
Letterkensy Army Dapot 17201
Hatick SAD Ctr. 01740
Hew Comberland Army Dapot 17070
Pueblo Army Dapot 81001
Had Hiver Army Dapot 17501
Radstons Areanal 35009
Bock Island Areanal 61299
Savanna Army Dapot 18446
Toole Army Dapot 18441
Tobyhanna Army Dapot 18446
Toole Army Dapot 8074
Materviset Armenal 12189
Tunn Proving Ground 8384
White Sand Missile Ename 88002 ATTH: Facilities Regimeer Fort Buschuce 85613 Fort Ritchie 21719 WESTCOM ATTN: Facilities Engineer Port Shefter 96856 SHAPE 09055 ATTW: Survivability Section, CCS-OPS Infrastructure Branch, LANDA #Q USEDCOM 09128 ATTW: EGJ 4/7-LOE Fort Belveir, VA 22060
ATTM: ATZA-DTE-EM
ATTM: ATZA-DE-EM
ATTM: ATZA-SE
ATTM: Begr. Librery
ATTM: Genedian Liaion Office (2)
ATTM: DR Librery Sacramento 75814 San Francisco 94105 Savannah 31402 Seattle 98124 Cold Regions Research Engineering Lab 03755 ATTW: Library Seattle 90124 St. Louis 63101 St. Paul 55101 Tulus 74102 Vicksburg 39180 Wells Wells 99362 Wilmington 28401 PORSON Engineer, ATH: AFEN-FE ATH: Focilities Engineer Fort Buchman 00934
Fort Buchman 00934
Fort Eragg 23107
Fart Campball 42223
Fort Caroon 80913
Fort Buvann 01433
Fort Buvann 01433
Fort Buvann 01493
Fort Hood 76544
Fort Indianteura Gap 17003
Fort Irvin 92311
Fort Sam Houston 78294
Fort Levin 98430
Fort Hoby 94536
Fort HoPhysicon 30330
Fort Goorge G. Hande 20755
Fort Oct 93941
Fort Folk 71459
Fort Rilay 66442
Fresidio of Sam Francisco 94129
Fort Shoridan 60037
Fort Shoridan 60037
Fort Stowart 31313
Fort Manneight 99703
Vencouver Sho. 98640 ETL, ATTN: Library 22060 DLA ATTN: DLA-W1 22314 Natural Experiment Station 39180 ATTM: Library US Army Engineer Divisions
ATTM: Library
Europe 09737
Europe 09737
Europe 19737
Europe 19737
Europe 19737
Europe 19737
Europe 19738
Hiddle East 09038
Hiddle East (Bear) 22601
Hissouri Elver 68101
How England 02154
Horth Atlantic 10007
Horth Central 40505
Horth Pecific 97208
Ohio Elver 45201
Pacific Ones 96658
Eouth Atlantic 30503
South Pacific 94111
Southwestern 75202 MQ. EVIII Airborne Corpo and 28307 Ft. Stags ATTR: AFLA-TE-SE Chanute AFB, IL 61868 3345 CEB/SE, Stop 27 Horton AFB 92409 ATTW: AFRCE-HE/DEE Tymdell AFB, FL 32403 AFESC/Engineering & Service Lab AFBC
ATTH: RBTME Lisioon Office
Atlantic Division 23511
Checapeate Division 20374
Bouthern Division 29411
Pacific Division 96860
Herthern Division 19112
western vivision 46066
ATTH: Br. Tach. PAC-03T 22332
ATTH: Aset. CBR 848, PAC-03 22 US Army Europe
RQ, 7th Army Training Command 09114
ATTH: AETTO-DEE (5)
RQ, 7th Army OBCS/Engr. 09403
ATTH: AEARH-EN (4)
V. Ourop 09079
ATTH: AETWEEN (5) ATTH: ASYNDER (5)
VII. Corps 09154
ATTH: ASTRONER (5)
21st Support Command 09325
ATTH: ASSER (5)
Derlin 09742
ATTH: ASSER (2)
Southern Suropean Task Pures 09168
ATTH: ASSER (3)
Installation Support Activity 09403
ATTH: ASSER (3) MCEL 93041 ATTH: Library (Code LOSA) ATTH: MSLO-F 78234 ATTH: Facilities Engineer Fitusiness ANC 80240 Walter Bood ANC 20012 Befores Technical Info. Center 22314 ATTH: 30A (12) INSCON - Ch, Instl. Div. ATTH: Positition Impieser Arlington Sall Station (2) 22212 Vint Hill Forms Station 22106 Engineering Societies Library 10017 New York, WY Mational Guard Bureau 20310 Installation Styleion Oth USA, Eoroe ATTH: BAPE (8) 96301 ATTH: BAPE-T 96396 ATTH: BAPE-IB 96224 ATTH: BAPE-4M 96208 ATM: Pocilities Engineer Comeron Station 22314 Port Louisy J. MeMair 20319 Port Nyer 22211 US Government Printing Office 22304 Bacelving Section/Depository Copies (2)

EMS Team Distribution

Chief of Engineers ATTN: DAEM-MPO-B ATTN: DAEM-MPO-U ATTN: DAEM-MPR ATTN: DAEM-MPZ-A

US Army Engineer District S Army Engineer District
New York 10007
ATTM: Chief, MANEH-E
ATTM: Chief, Design Br.
Pittsburgh 15222
ATTM: Chief, Engr Div
Philadelphia 19106
ATTM: Chief, MAPEH-E
Baltimore 21203
ATTM: Chief, Engr Div
Norfolk 23510
ATTM: Chief, MACEH-R
Huntington 25721
ATTM: Chief, ORNED-P ATTN: Chief, ORNED-P Wilmington 28401 Wilmington 28401
ATTN: Chief, SAMEN-PP
ATTN: Chief, SAMEN-PN
ATTN: Chief, SAMEN-E
Charleston 29402
ATTN: Chief, Engr Div
Savannah 31402
ATTN: Chief, SASAS-L
Jacksonville 32232
ATTN: Env. Res. Br.
Mashville 37202 Mashville 37202 ATTN: Chief, URMED-P Momphis 38103 ATTN: Chief, LIMED-PR Vicksburg 39180 ATTH: Chief, Engr Div Louisville 40201 ATTH: Chief, Engr Div St. Paul 55101 ATTN: Chief, ED-ER
Chicago 60504
ATTN: Chief, MCCPD-ER
ATTN: Chief, MCCPE-PES
St. Louis 63101 ATTM: Chief, ED-B
Kansas City 64106
ATTM: Chief, Engr Div
Omaha 68102
ATTM: Chief, Engr Div
Little Rock 72203
ATTM: Chief, Engr Div Tulsa 74102 ATTN: Chief, Engr Div Fort Worth 76102 Fort North 76102
ATTN: Chief, SWFED-PR
ATTN: Chief, SWFED-F
Gelveston 77550
ATTN: Chief, SWGAS-L
ATTN: Chief, SWGCO-M
Albuquerque 87103
ATTN: Chief, Engr Div
Los Angeles 90053 Los Angeles 90053 ATTN: Chief, SPLED-E San Francisco 94105 ATTN: Chief, Engr Div Secremento 95814 Secremento 95814
ATTN: Chief, SPKED-D
Far East 96301
ATTN: Chief, Engr Div
Seattle 98124
ATTN: Chief, NPSEN-PL-MC
ATTN: Chief, NPSEN-PL-ER
ATTN: Chief, NPSEN-PL-ER
ATTN: Chief, NPSEN-PL-BP Walla Walla 99362 ATTN: Chief, Engr Div Alaska 99501 ATTN: Chief, MPASA-R

US Army Engineer Division New England 02154 ATTM: Laboratory ATTM: Chief, NEDED-E South Atlantic 30303 ATTM: Chief, SAGEN-E US Army Engineer Division
Nuntsville 35007
ATTN: Chief, NUNEB-CS
ATTN: Chief, NUNEB-OI
Lower Mississippi Valley 39180
ATTN: Chief, PB-R
Chie River 48201
ATTN: Chief, Engr Div
North Control 60006
ATTN: Chief, Engr. Planning Br.
Southmestern 78202
ATTN: Chief, SMCO-O
South Pacific 94111
ATTN: Laboratory
Pacific Goom 96006
ATTN: Chief, Engr Div
ATTN: Chief, Engr Div
ATTN: Chief, F3000
ATTN: Chief, F3000
ATTN: Chief, F3000
ATTN: Chief, F3000
ATTN: Chief, Engr Div

Sth US Army 78234 ATTN: AKFB-LG-E

6th US Army 94129 ATTH: AFKC-EN

7th US Army 09407 ATTN: AETTH-HRD-END

USA ARRADCOM ATTN: DRBAR-LCA-OK

West Point, NY 10996 ATTN: Dept of Mechanics ATTN: Library

Ft. Belvoir, VA 22060 ATTN: Learning Resources Center ATTN: ATSE-TB-TL (2) ATTN: British Lieison Officer (5)

Ft. Clayton Canal Zone 34004 ATTN: DFAE

Ft. Leavemorth, KS 66027 ATTN: ATZLCA-SA

Ft. Lee, VA 23801 ATTN: DRXMC-D (2)

Ft. McPherson, GA 30330 ATTN: AFEN-CD

Ft. Monroe, VA 23651 ATTN: ATEM-AD (3) ATTN: ATEM-FE-E

Aberdeen Proving Ground, MD 21005 ATTN: AMXME

Neval Facilities Engr Command 22332 ATTN: Code 04

US Naval Oceanographic Office 39522 ATTN: Library

Port Hueneme, CA 93043 ATTN: Morell Library

Kirtland AFB, NM 87117 ATTN: DEP

Little Rock AFB 72076 ATTN: 314/DEEE

Patrick AFS, FL 32925 ATTN: XRU

AF/RDXT WASH DC 20330

Tinker AFB, OK 73145 2864 ABG/DEEE Tyndell AFB, FL 32403 AFESC/PRT

Building Research Advisory Searc 2041s

Dept. of Transportation Tallahassoe, FL 32304

Sept. of Transportation Library 20590

Transportation Research Board 20418

Airports and Const. Services Dir. Ottawn, Ontario, Canada KLA CHU

Matienal Defense Headquarters Ottaws, Ontario, Comade KIA CK2

75

2-82

Hossenger, Hemette
Comparison of alternative modes of data input to the Pesticide
Information Retrieval System / by H. Hessenger, R. Webster, T. Brown.
-- Champaign, Ill: Construction Engineering Research Laboratory;
available from NTIS, 1982.
26 p. (Technical report; H-137)

l. Pest control - data processing. 2. Pesticide Information Retrieval System. I. Webster, Ronald Dright. II. Brown, Terri A. III. Title. IV. Series: Technical report (Construction Engineering Research Laboratory); N-137.